

Math Diversion Problem 161

P. Reany

January 24, 2025

Every great developer you know got there by solving
problems they were unqualified to solve
until they actually did it.
— Patrick McKenzie

The YouTube video is found at:

Source: <https://www.youtube.com/watch?v=V1ye2oXNp-Y>
Title: Russian | Can you solve this ?
Presenter: Master T Maths Class

1 The Problem

Given the relation

$$x^{-x^x} = 2^{\sqrt{2}}, \quad (1)$$

find the values of x over the real numbers.

2 The Solution

I like to approach this kind of problem in a standard way, by making a variable substitution. But before I do that, I want to change the look of the problem a little. Let's begin by raising both sides to the power of the square root of 2:

$$\left(x^{-x^x}\right)^{\sqrt{2}} = \left(2^{\sqrt{2}}\right)^{\sqrt{2}}, \quad (2)$$

which gives us

$$x^{-\sqrt{2}x^x} = 2^2. \quad (3)$$

Next, we again simplify by taking the square root of both sides:

$$x^{-\frac{\sqrt{2}}{2}x^x} = 2. \quad (4)$$

Now, for my standard form of substitution:

$$x = 2^\alpha. \tag{5}$$

When we put this into (4), we get that

$$(2^\alpha)^{-\frac{\sqrt{2}}{2}}(2^\alpha)^{(2^\alpha)} = 2. \tag{6}$$

This simplifies to

$$2^{-\alpha\frac{\sqrt{2}}{2}}(2^{\alpha(2^\alpha)}) = 2. \tag{7}$$

On equating exponents, we have that

$$-\alpha\frac{\sqrt{2}}{2}(2^{\alpha(2^\alpha)}) = 1. \tag{8}$$

So, how does one approach this equation to solve for α ? My method is first to look for an integer solution and then a rational solution. If that fails, one can always move things in the direction of Lambert's W function.

But let's begin easy for starters. I tried $\alpha = -1$, but that didn't work. Then I tried $\alpha = -2$, and that did work. You can establish that for yourself, if you like.

Anyway, that means that

$$x = 2^{-2} = \frac{1}{4}. \tag{9}$$